

BRIGHTON CROP PROTECTION CONFERENCE Weeds – 1989

Volume 1

Proceedings of an international
conference organised by
The **BRITISH CROP PROTECTION COUNCIL**
held at Brighton Centre and
Brighton Metropole, Brighton, England
November 20–23, 1989

BCPC Registered Office
49 Downing Street
Farnham
Surrey GU9 7PH, UK

Contents

	Page
The British Crop Protection Council Members and Objectives	xix
Conference Organising Committee	xxi
Programme Committee	xxi
Abbreviations	xxii

VOLUME 1

SESSION I

	Paper	Page
THE SIXTEENTH BAWDEN LECTURE		1
Environmental Impact – Putting Pesticides into Perspective		
I. J. GRAHAM-BRYCE	1-1	3

SESSION 2

NEW HERBICIDES AND PLANT GROWTH REGULATOR MOLECULES		21
Research Reports		
New low-rate sulfonylureas for post-emergence weed control in corn		
H. L. PALM, P. H. LIANG, T. P. FUESLER, G. L. LEEK, S. D. STRACHAN and V. A. WITTENBACH	2-1	23
SL-950 – a novel sulfonylurea herbicide for corn		
F. KIMURA, T. HAGA, N. SAKASHITA, S. MURAI AND K. FUJIKAWA	2-2	29
SN-106 279 – a new herbicide for use in winter cereals		
F. ARNDT, M. HARRE, H. KRÜGER and H. KRÄHMER	2-3	35
S-23121 – a new cereal herbicide for broad-leaved weed control		
T. HAMADA, R. YOSHIDA, E. NAGANO, H. OSHIO and K. KAMOSHITA	2-4	41
Fluoroglycofen-ethyl: a new selective herbicide for broad-leaved weeds in cereals		
P. H. MAIGROT, A. PERROT, L. HEDE-HAUUY and A. MURRAY	2-5	47
AKH-7088 – a novel diphenyl ether herbicide		
Y. HAYASHI, H. KOUJI and H. OSADA	2-6	53
RH-0898 – a new selective post-emergence herbicide for grass weed control		
H. OHYAMA, H. YAMAMURA, S. KOBAYASHI, K. CHIBA, H. L. WARNER, C. O. HANSEN, V. A. MUSCO, D. E. KELLEY and H. O. BAYER	2-7	59
UBI C4874 – a new post-emergence herbicide for control of annual and perennial grasses		
A. R. BELL and A. S. PEDDIE	2-8	65

CGA-184'927 + S – a new post-emergence grasskiller for use in cereals J. AMREIN, A. NYFFELER and J. RUFENER	2-9	71
HOE-70542 – a new molecule for use in combination with fenoxaprop-ethyl allowing selective post-emergence grass weed control in wheat H. BIERINGER, K. BAUER, E. HACKER, G. HEUBACH, K. H. LEIST and E. EBERT	2-10	77
CGA-163'935 – a new plant growth regulator for small grain cereals, rape and turf E. KERBER, G. LEYPOLET and A. SEILER	2-11	83
The use of CGA-163'935 as a growth regulator in cereals and oilseed rape J. AMREIN, J. RUFENER and M. QUADRANTI	2-12	89

SESSION 3A

INTEGRATION OF CEREAL CROP MANAGEMENT WITH WEED CONTROL: PRACTICAL ASPECTS 95

Invited Paper

The integration of pest and disease control with weed control in winter cereals in Great Britain J. H. ORSON	3A-1	97
---	------	----

Research Reports

The incidence of weeds in winter cereals in Great Britain R. WHITEHEAD and H. C. WRIGHT	3A-2	107
Cutting the cost of cultivations, the last saving for cereal growers? M. GIBBARD, J. COUTTS, D. B. DAVIES and J. BAILEY	3A-3	113
Factors affecting the control of <i>Galium aparine</i> (cleavers) in winter wheat in early and late spring G. SANSOME	3A-4	119
The effect of weather conditions in three seasons on the control of <i>Galium aparine</i> (cleavers) in winter wheat with fluoroxypyr ester and mecoprop salt D. TOTTMAN, P. M. STEER, J. H. ORSON and M. C. E. GREEN	3A-5	125
Long term studies of weed populations in winter wheat as affected by straw disposal, tillage and herbicide use B. J. WILSON, S. R. MOSS and K. J. WRIGHT	3A-6	131
The effect of crop density on herbicide efficacy and yield response in continuous spring barley D. L. EASSON and A. D. COURTNEY	3A-7	137

SESSION 3B

THE MODE OF ACTION AND BASIS FOR THE SELECTIVITY OF GRAMINICIDES 143

Invited Papers

The discovery of the selective inhibition of acetyl-coenzyme A carboxylase activity by two classes of graminicides J. SECOR, C. CSEKE and W. J. OWEN	3B-1	145
The properties and importance of acetyl-coenzyme A carboxylase in plants J. L. HARWOOD	3B-2	155

Kinetics of inhibition of acetyl-coenzyme A carboxylase by the aryloxyphenoxy propionate and cyclohexanedione graminicides A. R. RENDINA, J. D. BEAUDOIN, A. C. CRAIG-KENNARD and M. K. BREEN	3B-3	163
Differences in sensitivity and tolerance of monocotyledonous and dicotyledonous plants towards inhibitors of acetyl-coenzyme A carboxylase H. K. LICHTENTHALER, K. KOBEK and M. FOCKE	3B-4	173
Research Report		
Anti-auxin activity of graminicides A. H. COBB and P. BARNWELL	3B-5	183

SESSION 3C

NEW USES OF EXISTING MOLECULES 191

Posters

The efficacy and crop tolerance of a new herbicide formulation containing tria-sulfuron and fluoroglyphen-ethyl J. E. APTED, D. W. CORNES, T. A. J. SCOTT and P. J. RYAN	3C-1	193
The control of <i>Arrhenatherum elatius</i> in cereals by imazamethabenz-methyl E. J. GUSSIN	3C-2	199
The control of potato groundkeepers in cereal crops S. E. OGLIVY, R. A. E. CLEAL and D. S. ROGERS-LEWIS	3C-3	205
The use of sequences for the control of broad leaved weeds in maincrop potatoes C. S. SPELLER and P. A. DOVER	3C-4	213
The use of silicone adjuvants to increase activity and rainfastness of acifluorfen F. C. ROGGENBUCK, L. ROWE, R. F. BUROW, R. A. EKELAND <i>et al</i>	3C-5	219
Rational approaches to selection of surfactants for optimising uptake of foliage applied agrochemicals P. J. HOLLOWAY, D. STOCK, P. WHITEHOUSE and B. T. GRAYSON	3C-6	225
A global evaluation of "new" herbicide activity 1948-1988, its changing dynamics and a look at its future direction W. L. HOPKINS	3C-7	231
Possibility of clomazone use for weed control in potatoes in Poland K. A. KOWANSKI	3C-8	237
The influence of some post-emergence herbicides on the incidence of blackleg and soft rot in the potato W. LEWOSZ	3C-9	241

SESSION 3D

HERBICIDE RESIDUES IN SOIL 243

Posters

Use of bioassays to characterise the risk of injury to follow crops by sulfonylurea herbicides H. J. STREK, D. C. BURKHART, S. D. STRACHAN, C. J. PETER, <i>et al</i>	3D-1	245
Imazaquin residue and persistence in a humid tropical soil O. A. AKINYENIJU, F. O. EVBUAOMWAN and I. O. AKOBUNDU	3D-2	251

Refinement of terrestrial microcosms for evaluating fate and effects of chemicals T. KNACKER, A. MARCINKOSWI, B. FÖRSTER, M. F. ARTHUR and D. A. TOLLE	3D-3	259
Application of supercritical fluid extraction and supercritical fluid chromatography to residue analysis J. S. WARNER and M. F. YANCEY	3D-4	267
Liquid chromatography/mass spectrometry of pesticides in agricultural matrices: technology assessment D. A. CONTOS and L. E. SLIVON	3D-5	273

SESSION 4A

CROP AND WEED RESISTANCE TO HERBICIDES 277

Invited Papers

Breeding for herbicide resistance – seed company considerations I. BRUUN CLAUSEN	4A-1	279
The resistance of weeds to herbicides: rational approaches for containment of a growing problem P. D. PUTWAIN and A. M. MORTIMER	4A-2	285

Research Reports

Resistance in weeds to sulfonylurea herbicides W. T. REED, J. L. SALADINI, J. C. COTTERMAN <i>et al</i>	4A-3	295
The distribution and control of herbicide resistant <i>Alopecurus myosuroides</i> in Central and Eastern England J. H. CLARKE and S. R. MOSS	4A-4	301
The appearance of phenoxy-herbicide resistance in New Zealand pasture weeds G. W. BOURDÔT, K. C. HARRINGTON and A. I. POPAY	4A-5	309
New developments in triazine and paraquat resistance and co-resistance in weed species in England D. V. CLAY	4A-6	317

SESSION 4B

TREE CROPS: NEW PRODUCTION SYSTEMS AND THEIR IMPLICATIONS FOR WEED CONTROL 325

Invited Papers

Forestry systems in Europe T. C. BOOTH	4B-1	327
Use of genetically improved forest trees and weed control D. ROOK	4B-2	333
Weed competition and control in new tree production systems D. V. CLAY	4B-3	339

Research Reports

The tolerance of forestry and biomass broadleaf tree species to soil acting herbicides J. LAWRIE and D. V. CLAY	4B-4	347
--	------	-----

The response of established willow stools to overall foliar herbicide application at different growth stages		
R. I. PARFITT	4B-5	355

Poster

Long term study of hexazinone efficacy in pine plantations		
O. VÁLKÓVA	4B-6	361
	(see Session 6C)	

SESSION 4C

THE EVALUATION OF CROP TOLERANCE TO HERBICIDES AND MIXTURES IN CEREALS: METHODOLOGY AND RESULTS		363
--	--	-----

Posters

Sequential herbicide programmes 1987/88 to prevent the spread of <i>Bromus sterilis</i>		
J. S. RULE	4C-1	365
Formulation variants of chlorotoluron/bifenox – crop safety evaluation		
G. P. HOBSON, T. A. HERBERT and P. J. RYAN	4C-2	371
The evaluation of cereal tolerance and herbicide efficacy under glasshouse conditions		
R. J. MAKEPEACE, D. J. TURNER and M. G. TURNER	4C-3	377
The persistence of sulfonyleurea herbicides alone or in mixtures with graminicides		
P. EFTHIMIADIS, E. A. SKORDA and TH. ADAMIDIS	4C-4	383
The reaction of winter wheat varieties to herbicides		
J. ROLA and B. NOWICK	4C-5	389
Field performance of fenoxaprop-ethyl in wheat in North America		
M. D. ANDERSON, P. MAYLAND, D. M. DREXLER and E. J. MAKOWSKI	4C-6	393
The effect of wheat seed rate on <i>Lolium rigidum</i> competition		
E. A. SKORDA and P. EFTHIMIADIS	4C-7	399
Bioassay of tri-allele tolerance for wheat varieties		
T. SALTO, M. C. CHUECA and J. M. GARCIA-BAUDIN	4C-8	405

VOLUME 2

SESSION 4D

BIOCHEMICAL ASPECTS OF HERBICIDE ACTION AND SELECTIVITY		409
--	--	-----

Posters

Effects of herbicides on the lipid composition and magnesium-dependent, potassium-stimulated ATP-ase activity of oat shoot plasma membranes		
R. S. BURDEN, D. T. COOKE and C. S. JAMES	4D-1	411
Properties of propanil hydrolase in soil bacteria		
K. HIRASE and S. MATSUNAKA	4D-2	419
Differential auxin sensitivity and mecoprop resistance in chickweed, <i>Stellaria media</i>		
P. BARNWELL, C. EARLY and A. H. COBB	4D-3	427

Metabolism of bentazone in soybean and the influence of tetcyclasis, BAS 110 and BAS 111		
J. M. LEAH, T. L. WORRALL and A. H. COBB	4D-4	433
Triasulfuron and its selective behaviour in wheat and <i>Lolium perenne</i>		
A. M. MEYER and F. MÜLLER	4D-5	441
Quinmerac – studies to investigate selectivity in wheat		
R. BERGHAUS and G. RETZLAFF	4D-6	449
Structure, alkylating reactivity and phytotoxicity relationships of chloroacetamides		
I. JABLONKAI and F. DUTKA	4D-7	455
A new type of graminaceous herbicide, Compound PP600, which inhibits fatty acid synthesis <i>de novo</i>		
K. A. WALKER, J. L. HARWOOD, T. LEWIS and S. M. RIDLEY	4D-8	463
Fatty acid biosynthesis in isolated etioplasts and its inhibition by herbicides		
K. KOBEK and H. K. LICHTENTHALER	4D-9	471
Inhibition of fatty acid biosynthesis by the antibiotics cerulenin and thiolactomycin		
A. FELD, F. KOBEK and H. K. LICHTENTHALER	4D-10	479
Perturbation of chloroplast protein metabolism by the plant growth regulator, chlormequat		
M. P. PERCIVAL, J. W. GREEN and N. R. BAKER	4D-11	487
Influence of HOE-70542 on behaviour of fenoxaprop-ethyl in wheat		
H. KÖCHER, B. BÜTTNER, E. SCHMIDT, K. LÖTZSCH and A. SCHULTZ	4D-12	495

SESSION 5

LAND USE STRATEGIES AND AGROCHEMICALS IN THE 1990s: CONFLICT OR COEXISTENCE?

Invited Papers

Changing land use strategies and implications for conservation		
E. CARTER	5-1	503
Land utilisation – the challenge created by surpluses		
M. PEARSON	5-2	513
Agrochemical use and strategies for the 1990s: a manufacturer's viewpoint		
D. BARRETT and P. B. SUTTON	5-3	523
Economic implications of supply and environmental control of UK-EC agriculture		
M. MURPHY	5-4	533

SESSION 6A

SET-ASIDE AND CROPPING WITH REDUCED INPUTS: IMPLICATIONS FOR WEED CONTROL

Invited Paper

Experiences with reduced herbicide doses in Denmark and the development of the concept of factor-adjusted doses		
P. KUDSK	6A-1	545

Research Reports

Three years' field experience with an advisory computer system applying factor-adjusted doses

M. BAANDRUP and T. BALLEGAARD ... 6A-2 555

A computerised decision support system for sugar beet herbicide selection

G. EDWARD-JONES, J. MUMFORD, G. NORTON, R. TURNER, G. PROCTOR and M. J. MAY ... 6A-3 561

Forecasting weed infestations – the desirable and the possible

L. G. FIRBANK ... 6A-4 567

Crop competitiveness as an aid to weed control

M. C. RICHARDS ... 6A-5 573

The management of set-aside and its implications on weeds

J. CLARKE and R. J. FROUD-WILLIAMS ... 6A-6 579

Designing integrated low-input farming systems to achieve effective weed control

C. A. EDWARDS and E. REGNIER ... 6A-7 585

SESSION 6B

IMPACT OF APPLICATION TECHNIQUES ON THE SAFETY AND EFFICACY OF HERBICIDES

591

Invited Papers

Reducing operator exposure by the improved design and handling of pesticide containers

A. J. GILBERT ... 6B-1 593

An evaluation of chemical application systems

I. RUTHERFORD, G. J. BELL, J. B. S. FREER, P. J. HERRINGTON and P. C. H. MILLER ... 6B-2 601

Research Reports

Effects of formulation changes on the biological efficacy of CDA and hydraulic nozzle applications of two herbicides

L. P. MABB and W. K. HICKS ... 6B-3 615

Evaluation of operator exposure and spray displacement with hand-operated application systems

C. R. MERRITT ... 6B-4 623

The use of air assistance in a field crop sprayer to reduce drift and modify drop trajectories

W. A. TAYLOR, P. G. ANDERSEN and S. COOPER ... 6B-5 631

Comparative drift measurements for the BCPC reference hydraulic nozzles and for an airtec twin-fluid nozzle under controlled conditions

N. M. WESTERN, E. C. HISLOP, E. I. JONES and P. J. HERRINGTON ... 6B-6 641

A closed system for liquid pesticide transfer

A. LAVERS ... 6B-7 649

Posters

A novel system for safe and effective herbicide application

R. DAWSON, T. ROBINSON, A. DU RIEU and P. J. RYAN ... 6B-8 657

Towards drift-free spraying

N. DOMBROWSKI, I. HIBBITT and J. R. STRACHAN ... 6B-9 663

A comparison of spray drift collection techniques				
P. C. H. MILLER, P. J. WALKLATE and C. J. MAWER	6B-10	669
		(see Session 8C)		

SESSION 6C

PLANT GROWTH REGULATORS AND HERBICIDES IN WARM-TEMPERATE AND MEDITERRANEAN CROPS

Posters

DPX-M6316 + Pyridate – a new maize herbicide for post-emergence control of broadleaved weeds resistant to atrazine P. IOOS, J. P. DOUCHET, A. BASSI and A. BENCIVELLI 6C-1	679
Growth pattern of <i>Echinochloa</i> species in relation to rice and bio-efficacy of 24-D and dicamba combinations K. KRISHNAMURTHY, R. DEVENDRA, T. V. RAMACHANDRA PRASAD and S. L. MOHAN 6C-2	683
Weed control in paddy rice with bensulfuron methyl + molinate mixtures in Spain and Portugal L. MUNTAN 6C-3	689

SESSION 7A

NOVEL ASPECTS OF WEED CONTROL

Invited Papers

Chirality and biological activity		
P. A. CHALONER	7A-1	697
The synthesis, stability and biological activity of the enantiomers of pyridyloxy-phenoxypropionates		
D. CARTWRIGHT	7A-2	707

Research Reports

HOE-046360 – the optical active isomer of fenoxaprop-ethyl for broad spectrum grass-weed control in dicotyledonous crops				
H. P. HUFF, B. BÜTTNER, E. EBERT and P. LANGE LÜDDEKE	7A-3	717
HOE-7113 – worldwide results on selectivity and grass-weed efficacy				
H. P. HUFF, H. SCHUMACHER, H. VON OLFERS and M. BANKS	7A-4	723
The efficacy and crop safety of a herbicide + safener combination in cereals under UK conditions				
D. W. CORNES, T. SCOTT, E. J. HENDERSON and P. J. RYAN	7A-5	729

Invited Papers

Weed control under plastic crop covers		
A. J. GREENFIELD	7A-6	735
Herbicide granules – review of processes and products		
G. A. BELL	7A-7	745

SESSION 7B

HABITAT MANAGEMENT: IMPACT AND IMPLICATIONS FOR WEED CONTROL 753

Invited Papers

Seed banks in abandoned arable land on chalk: implications for habitat creation
M. J. HUTCHINGS, D. J. GRAHAM and K. D. BOOTH ... 7B-1 755

Colonization of grassland under extensification by hedgerow species		
J. BAUDRY	7B-2	765
The effects of insect herbivores on weed communities		
V. K. BROWN	7B-3	775
Selective weed control in field margins		
N. D. BOATMAN	7B-4	785

Research Report

A preliminary assessment of the impact of herbicide drift on plant species of conservation interest		
R. H. MARRS, A. J. FROST and R. A. PLANT	7B-5	795

VOLUME 3

SESSION 7C

WEED CONTROL AND PLANT GROWTH REGULATOR USE IN NON-CEREAL ARABLE CROPS 803

Posters

Grass weed control in the UK with UBI C4874 – a new post-emergence herbicide		
D. H. BARTLETT, C. D. JESSOP and D. R. SHRIMPTON	7C-1	805
Depth and date of emergence of volunteer oilseed rape (<i>Brassica napus</i> L) and its control with herbicides used in peas, beans, potatoes and sugar beet		
H. J. GARRETT and J. H. ORSON	7C-2	811
The use of mineral adjuvant oil with post-emergence applications of metamiltron plus phenmedipham for weed control in sugar beet		
M. J. MAY, M. J. ARMSTRONG and D. BUCKLEY	7C-3	817
Investigations on programmes for weed control in fodder beet in SW Scotland		
G. WHYTOCK and V. A. F. HEPPEL	7C-4	823
Imazethapyr/pendimethalin: a new herbicide for weed control in legumes		
C. M. KNOTT and K. R. EKE	7C-5	829
Evaluation of pre- and post-emergence herbicides for broad-leaved weed control in combining peas		
N. J. GILTRAP and J. ROEBUCK	7C-6	835
Weed control in potatoes and legume crops with a trietazine/terbutryn coformulation		
E. S. BARDSLEY, B. L. REA and G. J. FIELDER	7C-7	841
Tolerance of seed potato to two new residual herbicide mixtures		
H. M. LAWSON, J. S. WISEMAN and G. McN. WRIGHT	7C-8	847
Di-isopropyl naphthalene – a novel plant growth regulator		
M. EVEREST-TODD and A. K. KARPINSKI	7C-9	853
A dimefuron/benazolin mixture for broad-leaved weed control in winter oilseed rape		
J. M. KING and M. T. F. TURNER	7C-10	859
Weed control in oilseed rape with a benazolin, clopyralid, dimefuron coformulation		
A. J. MAYES, J. MARSHALL and R. I. HARRIS	7C-11	865
The control of broad-leaved weeds in sunflowers in England		
F. L. DIXON, P. J. W. LUTMAN and T. M. WEST	7C-12	871

SESSION 7D

HERBICIDES AND PLANT GROWTH REGULATORS IN AGRICULTURAL, UPLAND AND AMENITY GRASSLAND

877

Posters

Matagouri, hawkweed and purple fuzzweed control with sheep, goats and legumes in the New Zealand tussock grassland G. G. COSSENS, R. B. MITCHELL and G. S. CROSSAN	7D-1	879
Response of <i>Rumex obtusifolius</i> , <i>Cirsium arvense</i> and perennial ryegrass to some sulfonylurea herbicides T. M. WEST	7D-2	885
DPX-M 6315 – a new herbicide for use in pastures A. OSTERMEYER and B. MEIER	7D-3	891
Response of bracken and eight pasture grass species to some sulfonylurea herbicides T. M. WEST and C. J. STANDELL	7D-4	897
Response of several pasture grass species to potential new herbicides for bracken control C. J. STANDELL and T. M. WEST	7D-5	903
Factors influencing the efficacy of grass retardants when sprayed using the controlled drop application technique M. R. ALDER and L. GREGORY	7D-6	909

SESSION 8A

COSTS AND BENEFITS OF WEED CONTROL – ACHIEVING THE BALANCE

915

Invited Papers

Economics of crop protection in Europe with reference to weed control J. B. DENT, R. H. FAWCETT and P. K. THORNTON	8A-1	917
The herbicide dose response curve and the economics of weed control J. C. STREIBIG	8A-2	927

Research Reports

Modelling as an aid to weed control management C. J. DOYLE	8A-3	937
Economics of controlling <i>Ranunculus acris</i> in New Zealand dairy pastures A. I. POPAY, N. D. BARLOW and G. W. BOURDÔT	8A-4	943
The cost-effectiveness of different approaches to herbicide use in continuous winter cereals M. J. PROVEN and J. B. S. FREER	8A-5	949
Yield responses to herbicide use and weed levels in winter wheat and spring barley in Scottish trials and consequences for economic models D. H. K. DAVIES, A. J. WHITING and G. WHYTOCK	8A-6	955
Effects of weeds on cereal harvesting efficiency and grain quality, and the economic consequences of reduced weed control B. W. SHEPPARD, D. H. K. DAVIES, M. C. RICHARDS and A. J. WHITING	8A-7	961

SESSION 8B

BIOLOGICAL AND BIOTECHNOLOGICAL APPROACHES TO WEED CONTROL 967

Invited Papers

Biocontrol and biotechnology

M. J. CRAWLEY ... 8B-1 969

Advances in engineering herbicide resistance in plants

J. BOTTERMAN ... 8B-2 979

Current advances in bioherbicide research

A. K. WATSON ... 8B-3 987

Research Reports

Biocontrol of bracken (*Pteridium aquilinum*) in the UK: prospects and progress

S. V. FOWLER, J. H. LAWTON and C. SPEED ... 8B-4 997

Commercial prospects for biological and biotechnological weed, plant disease and pest control

J. LANDELL-MILLS, D. LONGMAN and D. D. MURRAY ... 8B-5 1005

SESSION 8C

LOOKING FORWARD TO WEED CONTROL IN HORTICULTURAL CROPS DURING THE NINETEEN-NINETIES 1013

Posters

Problems of herbicide registration and usage for horticultural crops

A. J. GREENFIELD ... 8C-1 1015

Weed control in carrots and salad onions under low-level polythene covers

W. BOND and J. BURCH ... 8C-2 1021

Weed control with fluoroxyppyr in spring sown bulb onions

R. T. POLLACK, M. GREEN and B. PRINCE ... 8C-3 1027

Methods of improving the efficacy of glufosinate-ammonium

P. LANGE LÜDDEKE, M. RÖTTELE, B. BIER and J. KOCUR ... 8C-4 1033

Post-harvest weed control and runner control with glufosinate-ammonium in strawberries

G. NIKOLOVA, G. BAEVA and P. MARINKOV ... 8C-5 1039

Terbacil selectivity for water melon

C. E. BESTE ... 8C-6 1045

Weed control in early summer cauliflowers grown under polythene covers

C. D. PATERSON ... 8C-7 1049

SESSION 8D

HABITAT MANAGEMENT: IMPACTS AND IMPLICATIONS FOR WEED CONTROL 1055

Posters

The potential of quinmerac (BAS 518H) for the selective control of cleavers (*Galium aparine*) in field boundaries

A. B. BAIN and N. BOATMAN ... 8D-1 1057

Secondary succession on extended arable field margins: its manipulation for wildlife benefit and weed control H. SMITH and D. W. MACDONALD	8D-2	1063
The effects of boundary strips on the flora of cereal fields C. FEARE, T. P. MILSOM, B. WRIGHT and P. LANE	8D-3	1069
The accessibility of a former pasture for new species; implications for management J. M. VAN GROENENDAEL, R. BEKKER and M. VAN HELJST	8D-4	1075
The distribution of arable weed seed banks and the implications for the conservation of endangered species and communities P. J. WILSON	8D-5	1081
Habitat design for rare plants in arable agriculture: a case history study C. HOWARD, A. M. MORTIMER and P. D. PUTWAIN	8D-6	1087
The creation of within-field overwintering sites for natural enemies of cereal aphids P. A. CHIVERTON	8D-7	1093
The creation of island habitats to enhance populations of beneficial insects M. B. THOMAS	8D-8	1097
The role of non-crop habitats on hoverfly foraging on arable land S. COWGILL	8D-9	1103

SESSION 9A

HERBICIDE MOVEMENT AND PERSISTENCE IN SOILS: ASSESSMENT AND SIGNIFICANCE 1109

Invited Papers

Predicting the fate of herbicides in the soil environment J. L. HUTSON and R. J. WAGANET	9A-1	1111
Measurement and prediction of chlorsulfuron persistence in soil following autumn and spring application A. M. BLAIR, T. D. MARTIN, A. WALKER and SARAH J. WELCH	9A-2	1121

Research Reports

Field observation of soil movement and residues of sulfonylureas in Sweden MARIE NORDH-CHRISTERSON and L. BERGSTROM	9A-3	1127
A field study of the persistence and leaching of chlorsulfuron and metsulfuron-methyl DEBRA J. WADD and D. S. H. DRENNAN	9A-4	1133
Analytical methods for detecting chlorsulfuron and metsulfuron-methyl C. J. PETER, J. K. SHARP and J. C. STRAHAN <i>et al</i>	9A-5	1139
Comparison of bioassay and chemical analysis for triasulfuron quantification in soil samples W. IWANZIK and H. EGLI	9A-6	1145
Predicting the redistribution of isoproturon in soil and its significance to performance of the herbicide D. J. EAGLE and A. WALKER	9A-7	1151

The use of soil survey information to assess the risk of surface and groundwater pollution from pesticides		
ANDREE D. CARTER	9A-8	1157
Pesticide contamination of water-regulatory considerations		
T. TOOBY	9A-9	1165

SESSION 9B

CURRENT ADVANCES IN HERBICIDE ACTION 1173

Invited Papers

The role of cytochrome P450 in herbicide metabolism		
O. T. G. JONES and J. C. CASELEY	9B-1	1175
Recent work on photosystem 2: structure and site of action of inhibitors of photo-synthetic electron transport		
D. J. CHAPMAN and J. BARBER	9B-2	1185
Use of plant cell and tissue cultures in studies of mode of action and metabolism		
W. J. OWEN	9B-3	1197
Recent developments in the physiology and biochemistry of herbicide safeners		
K. K. HATZIOS	9B-4	1207
Selection for tolerance to graminicide herbicides in maize tissue culture		
J. GRONWALD, W. B. PARKER, D. A. SOMERS, D. L. WYSE and B. G. GENGENBACH	9B-5	1217
Transfer of bromoxynil resistance into crops		
G. FREYSSINET, B. LEROUX, M. LEBRUN, B. PELISSIER, A. SAILLAND and K. E. PALLETT	9B-6	1225
Author Index		1235