

**BRITISH CROP PROTECTION COUNCIL**

**MONOGRAPH No. 22**

Proceedings of a Symposium on  
CONTROLLED DROP APPLICATION

12th-13th April, 1978

Held at the University of Reading

CONTENTS

	Page
<u>SESSION 1 - OPENING LECTURE</u>	
The background and role of controlled drop application D. L. Gunn	1
<u>SESSION 2 - MEANS OF ACHIEVING CONTROL OF DROP SIZE</u>	
Rotary atomization A. R. Frost	7
An introduction to in-line holography and its application P. Dunn and J. M. Walls	23
Statistical description of spray drop size for controlled drop application D. R. Johnstone	35
<u>SESSION 3 - DROP SIZE AND ITS INFLUENCE ON DEPOSITION</u>	
The influence of physical and meteorological factors on the deposition and drift of spray droplets of controlled size D. R. Johnstone	43
Effects of volume rate and drop size on the retention of an aqueous solution by <i>Avena fatua</i> L C. R. Merritt and W. A. Taylor	59
The effect of wind turbulence and crop characteristics on the dispersal of aerial sprays T. J. Lawson and S. Uk	67
Penetration of controlled drop spray of <i>Bacillus thuringiensis</i> into chrysanthemum beds compared with high volume spray and thermal fog P. Jarrett, H. D. Burges and G. A. Matthews	75
Behaviour of single drops and sprays in different climatic conditions in a climate tower M. Hosseinipour	83
Factors concerning the penetration and distribution of drops in low growing crops P. Jegatheeswaran	91
<u>SESSION 4 - FIELD EQUIPMENT FOR CONTROLLED DROP APPLICATION</u>	
Reduction of active ingredient dosage by selecting appropriate droplet size for the target E. J. Bals	101
Development of the Microdrop CDA Sprayer H. Farmery	107



	Page	
The design and construction of a machine to compare CDA and hydraulic nozzles on a field scale I. Rutherford	111	
The Richmond Gibson controlled drop application trials sprayer N. J. Hind	117	
Portable micro-tip nozzle assembly for producing controlled monosize droplets for use in field micro-plot experiments S. Uk	121	
Preliminary trials with a light hovercraft for CDA spraying D. R. Johnstone, G. G. Pope, M. Andrews and G. R. Stacey	129	
A new petrol-engined air assisted spinning disc sprayer P. Fuller Lewis and N. K. Sylvester	137	
A simple voltage regulator for spinning disc CDA sprayers A. C. Arnold	145	
An aural aid to govern walking speed A. C. Arnold and E. W. Thornhill	149	
Modifications in knapsack mistblower design to improve spray efficiency on tall tree crops R. MacFarlane and G. A. Matthews	151	
 <u>SESSION 5 - BIOLOGICAL EFFECTIVENESS</u>		
A comparison of controlled drop and conventional application of three soil-applied herbicides to an organic soil M. J. May and P. Ayres	157	
The influence of application method on the control of wild-oats ( <i>Avena fatua</i> L. and <i>Avena ludoviciana</i> Dur.) in winter wheat by difenzoquat applied at a range of growth stages P. Ayres	163	
The performance of a prototype Microdrop (CDA) Sprayer for herbicide application A. J. Mayes and T. W. Blanchard	171	
Controlled drop application of glyphosate, difenzoquat and dichlorprop D. J. Turner and M. P. C. Loader	179	
The field performance of some herbicides applied by rotary atomiser in spray volumes of 5-50 l/ha R. C. Robinson	185	
Sprayers and sprinklers with controlled drop application for biological research and agricultural practice M. S. Sokolov, V. F. Dunski and N. V. Nikitin		Copies available from the Symposium Secretary
Forest weed control with different formulations of atrazine, propyzamide and an atrazine/cyanazine mixture applied by hand-held controlled drop applicator W. J. McCavish	193	



	Page
Spot spraying with hand-held CDA equipment in Australia; a progress report on suitability of equipment and herbicides J. H. Combellack, R. V. Harris, R. G. Richardson, K. Shaw and K. Turnball	199
Controlled droplet application (CDA) of pesticides in pest management G. A. Matthews	213
Contact toxicity to tsetse flies of deposits with different drop size characteristics A. B. Hadaway, F. Barlow, C. R. Turner and L. S. Flower	219
The relevance of ultra low volume spraying for the application of fungicides to protect winter lettuce under glass against grey mould N. K. Sylvester	231
A preliminary evaluation of an ultra low dosage of pirimicarb against <i>Sitobion avenae</i> on winter wheat S. R. Pickin	237
 <u>SESSION 6 - REGULATORY ASPECTS</u>	
CDA - a health peril or panacea R. Goulding	243
Pesticide application and efficacy from the approval point of view R. J. Makepeace	249
 <u>SESSION 7 - THE FUTURE OF CONTROLLED DROP APPLICATION</u>	
The contractor's view of CDA P. J. Long	259
A view of the impact of CDA on the agrochemical industry "Agrochemicals as good as their application" R. F. Norman	265
The farmer's viewpoint J. S. Rymer	271