

**PROCEEDINGS OF THE
1978
BRITISH CROP PROTECTION
CONFERENCE – WEEDS**

**(14th British Weed
Control Conference)**

VOLUME 1

20th to 23rd NOVEMBER, 1978

**HOTEL METROPOLE, BRIGHTON
ENGLAND**

The Conference was organised by the British Crop Protection Council.
The proceedings may be obtained from Miss M. Billitt, 'Shirley',
Westfields, Cradley, Malvern, Worcester.

CONTENTS

(Vol. 1)

TUESDAY, 21ST NOVEMBER 1978

Session 1

THE BAWDEN MEMORIAL LECTURE

Page

| | |
|--|----------|
| The challenge of the next generation of weed problems D.W. ROBINSON | (Vol. 3) |
|--|----------|

Session 2A

CEREALS I : ECONOMIC SIGNIFICANCE OF WEEDS

| | |
|--|----------|
| Economic objectives of weed control in cereals J.G. ELLIOTT | (Vol. 3) |
| Chemical control of <u>Alopecurus myosuroides</u> in winter cereals J. SMITH, D.B.F. LIVINGSTON, W. JORDAN and J.T.D. TOWERTON | 1 |
| Chemical control of <u>Avena fatua</u> in spring barley J. SMITH and R.J. FINCH | (Vol. 3) |
| Mixtures of difenzoquat and dichlorprop for the control of <u>Avena fatua</u> and broad-leaved weeds in spring barley J. HOLROYD and M.E. THORNTON | 9 |
| The control of <u>Avena fatua</u> and broad-leaved weeds in spring barley with herbicide mixtures containing diclofop methyl and its economic significance P.J.W. LUTMAN and M.E. THORNTON | 15 |
| L-flamprop-isopropyl. A versatile wild oat herbicide with economic benefits for use in wheat and barley B.C. HADDOW, D. ICKERINGILL and J-M. MONCORGE | 23 |
| The effect of rotation and herbicides on populations of <u>Avena fatua</u> and <u>Avena ludoviciana</u> J.F. ROEBUCK and G.R. FIELD | 31 |
| Annual broad-leaved weed control in winter wheat: autumn and spring treatments compared S.A. EVANS and J.J. HARVEY | 41 |
| A cost effective approach to the control of <u>Agropyron repens</u> in cereal stubbles with glyphosate J.J. HARVEY and M.J. POTTS | 49 |

Session 2B

WEED CONTROL IN VEGETABLE PRODUCTION

| | |
|---|----------|
| The implications for weed control in dry bulb onions and leeks with the adoption of a number of new cultural practices A. BROWN | (Vol. 3) |
| Experiments with some herbicide tank-mixes in bulb onions H.A. ROBERTS, W. BOND and M.E. RICKETTS | 57 |

| | Page |
|--|----------|
| Chlorthal-dimethyl/propachlor - a tank mix for use in brassicas, leeks and dry bulb onions D.H. SPENCER-JONES and C.P. HUGHES | 63 |
| Experiments with repeated low doses of an ioxynil-linuron mixture on onions A.J. WHITLOCK | 71 |
| Preliminary glasshouse experiments with various herbicides for swedes, cabbage and chicory growing in an organic soil M.J. MAY | 75 |
| The development of sulfallate for the control of composite weeds in drilled and transplanted lettuce in the United Kingdom A.G. JONES and R.F. SUCKLING | 83 |
| Persistence of chlorthal-dimethyl activity in soil H.A. ROBERTS, A. WALKER and W. BOND | 87 |
| Weed control programmes for red beet D. SENIOR, J.D. WHITWELL and A.G. JONES | (Vol. 3) |
| Weed control programmes for main crop carrots D. SENIOR, J.D. WHITWELL and A.G. JONES | (Vol. 3) |

Session 3A

CEREALS 2 : TRENDS IN WEED CONTROL

| | |
|---|----------|
| Future trends for weed control in cereals R.K. PFEIFFER | (Vol. 3) |
| The value and limitations of autumn/winter applications for the joint control of grass and broad-leaved weeds in winter cereals R. HEWSON | (Vol. 3) |
| Trends in weed control in winter cereals and the development of terbutryne for pre-emergence application to control broad-leaved weeds and some annual grasses D.P. DEAVILLE | 93 |
| Pendimethalin for broad spectrum weed control in winter barley R.J. WINFIELD, P.N. TAYLER, A.J. GARDNER and M. FLETCHER | 99 |
| The effect of straw disposal method and cultivation on <u>Alopecurus myosuroides</u> populations and on the performance of chlortoluron S.R. MOSS | 107 |
| The influence of burnt straw residues or soil compaction on chlortoluron and isoproturon activity A. NYFFELER and A.M. BLAIR | 113 |
| The use of trifluralin + linuron as a combination pre-emergence herbicide for the control of broadleaf and annual grass weeds in winter cereals C.J.C. WISE and D.M. FARRANT | 121 |
| Sequential applications of tri-allate and methabenzthiazuron for the control of weeds in winter wheat and winter barley J.C. SEDDON | 129 |

| | Page |
|---|----------|
| The flexibility in use of an hydroxybenzotrile:mecoprop esters mixtures for broad-leaved weed control in cereals G.B. HORSENAIL and C.W. WILSON | 137 |
| Leaf sheath as a guide to apical development and spray timing in winter wheat D.R. TOTTMAN and ANNETTE DUVAL | 143 |
| <u>Session 3B</u> | |
| WEED-FREE FRUIT AND ORNAMENTALS | |
| The use of herbicides in hardy ornamental crops A.R. CARTER | (Vol. 3) |
| Weed control in bulbs on peat and mineral soils E.W. RYAN and F.S. MACNAEIDHE | (Vol. 3) |
| The tolerance of young strawberry crops to a trietazine/simazine mixture D.V. CLAY | 151 |
| Response of spring planted strawberries to rates and time of application of trietazine/simazine R. PARFITT and K.G. STOTT | 159 |
| New herbicides for spring-planted strawberries H.M. LAWSON and J.S. WISEMAN | 167 |
| The response of strawberries to propachlor, pendimethalin and trifluralin used alone, in mixture or sequentially D.C. CLAY | 175 |
| The tolerance of strawberry to 2,4-D, MCPA, mecoprop and dichlorprop applied in the year of planting J.A. BAILEY | 183 |
| Further studies on the use of glyphosate on fruit trees with root suckers D. ATKINSON, S.C. PETTS and K. J. HYRYCZ | 191 |
| Preliminary results on the use of fosamine in fruit trees D. ATKINSON, K.J. HYRYCZ and S.C. PETTS | 197 |
| Tolerance of <u>Malus</u> cv. Hillieri and <u>Malus</u> x purpurea cv. aldenhamensis pollinators to glyphosate applied in April or October G.R. STINCHCOMBE and K.G. STOTT | 201 |
| Effects of cane and weed control management on the establishment of raspberry plantations H.M. LAWSON and J.S. WISEMAN | 209 |
| Weed control in fruit - what's wanted J.G. DAVISON | (Vol. 3) |
| The effect of runner size and source on the sensitivity of newly planted strawberry runners to lenacil D.T. MASON and P.J. DUDNEY | 217 |

| | Page |
|---|------|
| Effect of the chemical management of orchard swards on the use of water and mineral nutrients D. ATKINSON and S.C. PETTS | 223 |
| The control of <u>Convolvulus arvensis</u> with cultivations and/or glyphosate and MCPA J.A. BAILEY | 231 |

Session 4A

PROCESSED CROPS - RECENT ADVANCE IN WEED CONTROL

| | |
|--|-----|
| The development of chlorthal-dimethyl + methazole in the U.K. for use on transplanted leaf brassicae J. DANIEL | 237 |
| New herbicide combination for weed control of beans (<u>Phaseolus vulgaris</u> L.) W. KRAMER, W. LOTTGE and H. MARLOW | 245 |
| Trials in the U.K. with diclofop-methyl for control of wild oats (<u>Avena fatua</u>) in vegetable crops T.H. MANNING and R.T. HEWSON | 253 |
| Post-emergence control of wild oats (<u>Avena fatua</u>) and couch (<u>Agropyron repens</u>) in vining peas C.M. KNOTT | 261 |
| Di-allate and tri-allate in mixtures for the control of annual grasses and broad-leaved weeds in sugar beet R.V. EDWARDS | 269 |
| Sugar beet weed control programmes based upon metamiltron D.B. MORRIS, P.A. BIRCH and N.K. ROWLEY | 277 |
| The development of 3,6-dichloropicolinic acid as a tankmix and/or sequential application for the control of annual and perennial weeds in sugar beet A.J. GILCHRIST and C.T. LAKE | 285 |
| The development of metamiltron for weed control in sugar beet grown on soils with more than 10% organic matter P.W. ROSE and A.C. ROLLETT | 293 |

Session 4B

GRASSLAND - IS THE CONTROL OF INDIGENOUS SPECIES JUSTIFIED?

| | |
|--|----------|
| Indigenous species in perspective R. SNAYDON | (Vol. 3) |
| Some consequences of controlling <u>Poa annua</u> in newly sown ryegrass leys R.J. HAGGAR and A. PASSMAN | 301 |
| Weed control in new leys and established pastures with ethofumesate W. GRIFFITHS, C.H. HAMMOND and C.J. EDWARDS | 309 |

| | Page |
|---|------|
| The long-term benefits of bracken (<u>Pteridium aquilinum</u> (L) Kuhn) removal with asulam on hill farms in northern Britain J.M. DRUMMOND and D. SOPER | 317 |
| A consideration for the contribution to production of <u>Rumex obtusifolius</u> in a grazing regime A.D. COURTNEY and R. JOHNSTON | 325 |
| The replacement of old swards using herbicides and cultivation techniques H.T.H. CROMACK, W.I.C. DAVIES, A. ROWLANDS, E.I. PRYTHERCH and J. DAVIES.. | 333 |
| Dalapon tolerant varieties - a possible basis for pure swards of <u>Lolium perenne</u> L. J.S. FAULKNER | 341 |
| The use of paraquat for controlling weeds in seedling swards of paraquat resistant <u>Lolium perenne</u> L. J.S. FAULKNER | 349 |
| Difenzoquat for the control of wild oats (<u>Avena</u> spp.) in ryegrass seed crops R.J. WINFIELD and P.R. MATHEWS | 357 |

**PROCEEDINGS OF THE
1978
BRITISH CROP PROTECTION
CONFERENCE – WEEDS**

**(14th British Weed
Control Conference)**

VOLUME 2

20th to 23rd NOVEMBER, 1978

**HOTEL METROPOLE, BRIGHTON
ENGLAND**

The Conference was organised by the British Crop Protection Council.
The proceedings may be obtained from Miss M. Billitt, 'Shirley',
Westfields, Cradley, Malvern, Worcester.

CONTENTS

(Vol. 2)

WEDNESDAY 22ND NOVEMBER 1978

Session 5

CROPS AS WEEDS

Page

| | |
|---|----------|
| The problems of volunteer crops and some possible means of their control G.W. CUSSANS | (Vol. 3) |
| The control of volunteer potatoes with different herbicides and the application of a non-selective herbicide in some crops R. SIJTSMA, H.F.M. AARTS and L.M. LUMKES | 363 |
| Influence of crops on volunteer potatoes H.F.M. AARTS and R. SIJTSMA | 373 |
| The possibility of the control of volunteer potatoes with paraquat in maize and glyphosate in the stubble E.A.D. BAART and R. SIJTSMA | 379 |
| Effects of crop and weed management on field populations of volunteer potato H.M. LAWSON and J.S. WISEMAN | 385 |
| Investigations into the control of potatoes with several post-emergence herbicides P.J.W. LUTMAN and W.G. RICHARDSON | 393 |
| Glasshouse screening of herbicides for weed beet control J.G. HILTON and W.E. BRAY | 401 |
| The use of TCA to control volunteer barley in rye-grass crops grown for seed A.K. OSWALD | 409 |
| Chemical roguing of bulb crops E.W. RYAN, T. CORMICAN and F. COLLIER | (Vol. 3) |
| Development, research and application of crushing-drums to prevent volunteer potatoes E.N.C. MEIJER and J. FREDERIKS | (Vol. 3) |
| Herbicidal control of volunteer cereals in winter rape over four seasons D. SOPER | 415 |

Session 6A

HERBICIDE MIXTURES AND PROGRAMMES; THE NEEDS - WHO MEETS THEM ?

| | |
|---|----------|
| The farmers' needs for herbicide mixtures and programmes C.J. WHITTLES | (Vol. 3) |
| Practical problems of the agrochemical supplier J.R. METCALFE | (Vol. 3) |

| | Page |
|--|----------|
| The manufacturers' role in meeting the farmers' needs H.P. ALLEN | (Vol. 3) |
| The official advisory position P.J. ATTWOOD | (Vol. 3) |
| Legal aspects R.E. WALKER | (Vol. 3) |
| The compatibility of hydroxybenzotrile (HBN) based herbicides with other cereal sprays A.E. SALTER and B.J.F. JONES | 423 |
| Control of volunteer cereals, grass and broadleaf weeds in winter oilseed rape with a tank-mix of trifluralin and TCA C.J.C. WISE and D.M. FARRANT | 431 |
| The influence of adding fungicides and growth regulators to flamprop-isopropyl, flamprop-methyl and benzoylprop-ethyl on the control of <u>Avena</u> spp. in cereals R.O. MORRIS, R.G. JONES and R.J. LUCKHURST | (Vol. 3) |
| Weed control in swedes - three years' work in Wales with straight chemicals and mixtures of chemicals E.I. PRYTHERCH, H.T.H. CROMACK, W.I.C. DAVIES, A. ROWLANDS and J. DAVIES.. | 437 |

Session 6B

UNCONVENTIONAL METHODS OF WEED CONTROL

| | |
|---|----------|
| Physical methods of weed control E. SANDWALD and W. KOCH | (Vol. 3) |
| Weed control by high voltage electric shocks M.F. DIPROSE, R. HACKAM and F.A. BENSON | 443 |
| The effect of 2450 MHz Radiation on the germination of some weed and cereal seeds M.F. DIPROSE, R. HACKAM and F.A. BENSON | 451 |
| Weed control by partial soil sterilization - a review J.G. WHITE | (Vol. 3) |
| The influence of dose and incorporation on the activity and persistence of metham-sodium J.G. DAVISON | 459 |
| Breakage of dormancy as a method of weed control M.A. HALL | (Vol. 3) |
| A theoretical approach to the prediction of weed populations sizes A.M. MORTIMER, P.D. PUTWAIN and D.J. MCMAHON | 467 |
| The control of <u>Rumex obtusifolius</u> in grassland by selective application of herbicides A.K. OSWALD | 475 |

| | Page |
|--|------|
| The effect of aminotriazole, glyphosate and paraquat applied to <u>Alopecurus myosuroides</u> seeds S.R. MOSS | 483 |
| Partial soil sterilisation and soil and leaf moisture content measurement by microwave radiation M.F. DIPROSE, A.J.E. LYON, R. HACKAM and F.A. BENSON | 491 |
| Biological control of perennial bindweeds with Argus Tortoise beetle G.W. SELLECK | 499 |

Session 7A

WEEDS IN TOMORROW'S CROPS

| | |
|--|----------|
| Effect of new crops on agriculture W. WILLIAMS | (Vol. 3) |
| Herbicide development for transplanted and direct seeded tomatoes G.H. FRIESEN and P.B. MARRIAGE | 503 |
| Herbicide experiments in leafless and semi-leafless peas J.M. KING | 511 |
| The herbicidal activity of ethalfluralin plus atrazine applied post-emergence to maize and sorghum in France J.M. BÉRAUD and J.L. GLASGOW | 519 |
| Chemical weed control in winter oil seed rape 1977 and 1978 harvest years J.M. PROCTOR and R.J. FINCH | 527 |

Session 7B

SOIL RESIDUES - PROBLEMS AND POSSIBLE ANSWERS

| | |
|---|-----|
| Interpretation of soil analyses for herbicide residues D.J. EAGLE | 535 |
| Effects of cultivations on the persistence and phytotoxicity of atrazine and propyzamide R.J. HANCE, P.D. SMITH, T.H. BYAST and E.G. COTTERILL | 541 |
| Establishment of crop damage levels in soils for the herbicides lenacil, linuron and trifluralin D.J. CAVERLY | 549 |
| Effect of climatic and edaphic factors on the persistence and movement of ethofumesate A. RAHMAN | 557 |
| Simulation of the persistence of metamitron activity in soil A. WALKER and W. BOND | 565 |
| Some studies of soil bound residues M.S. KESTERTON and M.H.B. HAYES | 573 |

| | |
|--|-----------|
| Aspects of the registration of herbicides R.J. HEMMINGWAY | (Vol. 3.) |
|--|-----------|

Session 8A

FUTURE TRAINING REQUIREMENTS OF THE AGROCHEMICAL INDUSTRY

| | |
|--|----------|
| A merchant's view of the present position, its strengths and weaknesses M.S. BRADFORD | (Vol. 3) |
| Industry's requirements and its contribution in training terms D.R. KNIGHT | (Vol. 3) |
| The contribution of the Universities and Colleages M. EDDOWS | (Vol. 3) |

Session 8B

HERBICIDE INTERACTIONS WITH MICRO-ORGANISMS

| | |
|--|----------|
| Recent advances in the study of effects of pesticides on population dynamics of non-target micro-organisms B.G. JOHNEN | (Vol. 3) |
| Measurements of herbicide effects on nitrogen fixation by legumes M.P. GREAVES, L.A. LOCKHART and W.G. RICHARDSON | 581 |
| ATP assay for determining pesticide effects on microorganisms E.A. DREW, P.I. DAVIES and N.J. POOLE | 587 |
| The effect of paraquat induced death of aquatic plants on the heterotrophic activity of freshwater bacteria J.C. FRY and N.C.B. HUMPHREY | 595 |
| Survival of the glume blotch fungus on straw treated with herbicides D. HARRIS and E. GROSSBARD | 603 |
| The influence of herbicides on the incidence of take-all disease (<u>Gaeumannomyces graminis</u>) on the roots of winter wheat D.R. TOTTMAN and W. THOMPSON | 609 |
| Natural variation in some soil nutrients as a means of assessing the importance of herbicide effects on microbial activity J.A.P. MARSH | 617 |

THURSDAY 23RD NOVEMBER 1978

Session 9

APPLICATION TECHNIQUES - DEVELOPMENT OF NEW AND IMPROVED SYSTEMS

| | |
|--|----------|
| CDA - a review of developments to date W. LINKE | (Vol. 3) |
| Meteorological aspects of changes in spraying techniques R.J. ADAMS | 625 |

| | Page |
|--|------|
| A feasibility study on a low ground pressure spraying vehicle G.W. CUSSANS and P. AYRES | 633 |
| Logistics of spraying with reduced volumes of spray and higher vehicle speeds H.J. NATION | 641 |
| Developments in sprayer boom design H.J. NATION | 649 |
| New developments in swath matching D.C. LAWRENCE | 657 |
| The reasons for C.D.A. (controlled drop application) E.J. BALS | 659 |
| Drop size spectra and spray distribution from a Micron Battleship disc A.R. FROST and R. GREEN | 667 |
| A study of the effects of disc speed and flow rate on the performance of the Micro 'Battleship' C.G. HEIJNE | 673 |
| Drift from an Ulvamast sprayer J.R. LAKE, A.R. FROST and A. LOCKWOOD | 681 |
| The influence of application method on the control of black-grass (<u>Alopecurus myosuroides</u> Huds.) in winter cereals by post-emergence applications of a range of herbicides P. AYRES | 687 |
| A review of ADAS results in 1978 with the controlled drop application of herbicides in cereals R.J. BAILEY, R. KITCHEN, A. SMARTT and J. ROEBUCK | 695 |
| The field performance of some herbicides applied by the microdrop (C.D.A) sprayer O. GROSJEAN and I.K. COOK | 701 |
| The application of herbicides to cereals at different volumes using hydraulic nozzles and spinning disc heads P.B. HARRIS, D.E. BAWCUTT, A.R. HUMPHRYS and A.L. OFFER | 709 |
| A review of broad-leaved weed and wild-oat herbicides at reduced volume rates A. LAVERS and F.R. STOVELL | 717 |
| Further field experience with controlled drop application A.J. MAYES, G.B. LUSH and T.W. BLANCHARD | 729 |
| A comparison of a field scale controlled drop applicator and fan jet sprayer for broad leaved weed control in cereals M.C. PHILLIPS | 739 |
| Effect of high and very low volume spraying on distribution of drops in blackberry thickets R.G. RICHARDSON and J.H. COMBELLACK | 745 |

Session 10

NEW HERBICIDE DEVELOPMENTS

| | |
|---|----------|
| Fluridone - a new selective herbicide for use in cotton J. BUENDIA, S. OBEID, S. MASRI and J.L. GLASGOW | 753 |
| Alloxydim-sodium for grass weed control in broad-leaved crops in the U.K. G.H. INGRAM, M.T.F. TURNER, Y. HIRONO and I. IWATAKI | 761 |
| New herbicides for field bean H.M. LAWSON and J.S. WISEMAN | 769 |
| Glasshouse investigations with newer soil-applied herbicides for weed control on organic soils M.J. MAY | 777 |
| Oleoresin stimulation with paraquat M.R. PARHAM | 785 |
| The use of a metoxuron preparation as a potato haulm desiccant J.H. BUXTON and R.T. HEWSON | (Vol. 3) |
| The effect of chlomethoxynil on transplanted paddy rice under unfavourable growth conditions M. HIKAWA and A. NAKAGAWA | 793 |

**PROCEEDINGS OF THE
1978
BRITISH CROP PROTECTION
CONFERENCE – WEEDS**

**(14th British Weed
Control Conference)**

VOLUME 3

20th to 23rd NOVEMBER, 1978

**HOTEL METROPOLE, BRIGHTON
ENGLAND**

The Conference was organised by the British Crop Protection Council.
The proceedings may be obtained from Miss M. Billitt, 'Shirley',
Westfields, Cradley, Malvern, Worcester.

PREFACE

Volume 3 of the Proceedings includes all the invited papers and certain research reports which could not be fitted in to Volume 1 and 2. Attention is drawn particularly to the revised version of the report by A R Frost and R Green (page 1059) which should be read in preference to the original.

This Volume also contains the final review (1972-1978) of the National Wild-oat Advisory Programme Committee, of which B.C.P.C. is a member. Although not part of the Conference, the subject matter is sufficiently relevant to make this Volume the logical place to publish it.

Attendance at the 1978 British Crop Protection Conference - Weeds was 1,737 of whom 840 were from 41 different overseas countries.

CONTENTS

Page

Plenary Session 1

THE BAWDEN MEMORIAL LECTURE

The challenge of the next generation of weed problems.
D.W. ROBINSON..... 799

BAWDEN ESSAY COMPETITION

The complementary roles of good husbandry, plant breeding and agrochemicals
in the production of healthy crops.
A.J. NEVILLE..... 824

Session 2A

CEREALS 1: ECONOMIC SIGNIFICANCE OF WEEDS

The economic objectives of weed control in cereals
J.G. ELLIOTT..... 829

Chemical control of Avena fatua in spring barley.
J. SMITH and R.J. FINCH..... 841

Session 2B

WEED CONTROL IN VEGETABLE PRODUCTION

The implications for weed control in dry bulb onions and leeks with the
adoption of a number of new cultural practices.
A. BROWN 851

Weed control programme for red beet.
D. SENIOR, J.D. WHITWELL and A.G. JONES..... 857

Weed control programme for main crop carrots.
D. SENIOR, J.D. WHITWELL and A.G. JONES..... 865

Session 3A

CEREALS 2: TRENDS IN WEED CONTROL

Future trends in cereal weed control.
R.K. PFEIFFER 869

Isoproturon - a broad-spectrum approach to weed control in winter cereals.
I.A. BLACK and R.T. HEWSON 875

Session 3B

WEED-FREE FRUIT AND ORNAMENTALS

The use of herbicides in hardy ornamental crops.
A.R. CARTER..... 883

Weed control in bulbs on peat and mineral soils.
E.W. RYAN and F.S. MACNAEIDHE 889

Weed control in fruit crops - what's needed.
J.D. DAVISON 897

Session 4B

Page

GRASSLAND: IS THE CONTROL OF INDIGENOUS SPECIES JUSTIFIED?

| | |
|--|-----|
| Indigenous species in perspective. R.W. SNAYDON | 905 |
|--|-----|

Session 5

CROPS AS WEEDS

| | |
|---|-----|
| The problem of volunteer crops and some possible means of their control. G.W. CUSSANS | 915 |
| Chemical roguing of bulb crops. E.W. RYAN, T. CORMICAN and F. COLLIER | 923 |
| Development, research and application of crushing drums to prevent volunteer potatoes. E.N.C. MEIJER and J. FREDERIKS | 929 |
| Modified harvesters to prevent weed potatoes. L.M. LUMKES, H.E.M.M. VERVAET and J.T. ANDRINGA | 935 |

Session 6A

HERBICIDE MIXTURES AND PROGRAMMES THE NEEDS-WHO MEETS THEM?

| | |
|--|-----|
| The farmers needs for herbicide mixtures and programmes. C.J. WHITTLES | 943 |
| Practical problems of the agrochemical supplier. J.R. METCALFE | 951 |
| The manufacturers' role in meeting the farmers needs. H.P. ALLEN | 955 |
| The official advisory position. P.J. ATTWOOD | 961 |
| Mixtures of herbicides - legal aspects. R.E. WALKER | 965 |
| The influence of adding fungicides and growth regulator to L flamprop- isopropyl, flamprop-methyl and benzoyl prop-ethyl on the growth of <u>Avena</u> spp. in cereals. R.O. MORRIS, R. GORDON JONES and R.J. LUCKHURST | 969 |

Session 6B

UNCONVENTIONAL METHODS OF WEED CONTROL

| | |
|---|-----|
| Physical methods of weed control. E. SANWALD and W. KOCH | 977 |
| Weed control by soil partial sterilant chemicals: A review. J.G. WHITE | 987 |
| Seed dormancy in relation to weed control. M.A. HALL, I.C. CANTRELL, J.F. JONES and S.T. OLATOYE | 997 |

Session 7A

Page

WEEDS IN TOMORROW'S CROPS

New crops and agricultural systems:

W. WILLIAMS 1005

Session 7B

SOIL RESIDUES: PROBLEMS AND POSSIBLE ANSWERS

Some aspects of the registration of herbicides.

R.J. HEMINGWAY 1013

Session 8A

FUTURE TRAINING REQUIREMENTS OF THE AGROCHEMICAL INDUSTRY

A merchant's view of the present position, its strengths and weaknesses.

M.S. BRADFORD 1019

Industry's requirements and its contribution in training terms.

D.R. KNIGHT 1023

The contribution of the universities and colleges.

M. EDDOWES 1029

Session 8B

HERBICIDE INTERACTIONS WITH MICRO-ORGANISMS

Recent advances in the study of effects of pesticides on the population dynamics of non-target microorganisms.

B.G. JOHNEN 1037

Session 9

APPLICATION TECHNIQUES: DEVELOPMENT OF NEW AND IMPROVED SYSTEMS

CDA - A review of developments to date.

W. LINKE 1047

Drop size spectra and spray distribution from a Micron battleship disc. (revised version).

A.R. FROST and R. GREEN 1059

Session 10

NEW HERBICIDE DEVELOPMENTS

The use of a metoxuron preparation (San 7102) as a potato haulm desiccant.

J.H. BUXTON and R.T. HEWSON 1067

NATIONAL WILD-OAT ADVISORY PROGRAMME REVIEW 1972-1978

Editor P.J. ATTWOOD 1073